

<b>ALFA ROMEO</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>4c</b>											
1750 Turbo	13-	F	V	S3-2757	0144	305.0	28.0	39.7	5	semi-floating	51965608
		R	V	S3-2996	0145	292.0	22.0	42.7	5	semi-floating	51930883
<b>Giulia (952)</b>											
2.0 Veloce 280hp	16-	F	V	S3-3231	0164	330.0	28.0	44.7	5	semi-floating	50532932
2.0 Veoce rear axle		R	V	S3-3238	0165	320.0	20.0	43.2	5	semi-floating	50546509
2.9 Quadrifoglio	15-	F	V	S3-3138		360.0	32.0	41.0	5	semi-floating	50543093
2.9 rear axle		R	V	S3-3139		350.0	28.0	43.0	5	semi-floating	50543506
<b>ALPINA</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>B10</b>											
V8S	02-04	F	V	S3-2681		360.0	32.0	81.0	5	semi-floating	
<b>ASTON MARTIN</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>DB7</b>											
3.2 V6	94-03	F	V	S3-2231		355.0	32.0	49.0	5	semi-floating	
Rear axle		R	V	S1-2232		330.0	28.0	66.0	5	single piece	
<b>Vantage</b>											
4.7 S	11-	F	V	S4-3039		380.0	34.0	50.5	5	floating	BG331125AA
Rear axle		R	V	S3-3045		330.0	28.0	46.5	5	semi-floating	4GA32810266

<b>AUDI</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Q3 (8U)</b>											
RS 2.5 Turbo	13-18	F	V	S3-3194		365.0	34.0	50.0	5	semi-floating	8U0615301A
<b>Q7</b>											
6.0 Ceramic axles	08-15	F	V	S2-2636		420.0	40.0			uses oe hubs	
6.0 V12 Ceramic axles		R	V	S2-2637		380.0	30.0			uses oe hubs	
<b>Q8 (4MN)</b>											
SQ8	15-	F	V	S3-3182		400.0	38.0	57.0	5	semi-floating	4M0615301AE
<b>R8</b>											
5.0 V10	06-	F	V	S3-2373		365.0	34.0	52.5	5	semi-floating	420615301A
Rear axle		R	V	S3-2937		356.0	32.0	42.0	5	semi-floating	420615601E
<b>RS3 (8P)</b>											
2.5 Turbo	10-14	F	V	S3-2562		370.0	32.0	60.0	5	semi-floating	8P0615301
2.5 Turbo	10-14	F	V	S4-2562		370.0	32.0	60.0	5	floating	8P0615301
<b>RS3 (8V) Hatchback</b>											
2.5 Turbo	14-	F	V	S3-2908		370.0	34.0	60.0	5	semi-floating	8V0615301C
2.5 Turbo	14-	F	V	S4-2908		370.0	34.0	60.0	5	floating	8V0615301C
<b>RS3 (8V) Sedan</b>											

2.5 Turbo	17-	F	V	<a href="#">S3-3114</a>		370.0	34.0	53.0	5	semi-floating	8V0615301R
<b>RS4 (B5)</b>											
2.7 V6 Twin Turbo	99-01	F	V	<a href="#">S3-2063</a>		360.0	32.0	46.5	5	semi-floating	8D0615301N
2.7 V6 Twin Turbo Rear axle		R	V	S2-2064		312.0	22.0	45.0	5	bolted	8D0615602A
<b>RS4 (B7)</b>											
4.2	06-08	F	V	S2-2337		365.0	34.0	n/a	n/a	uses oe hubs	8E0 615 301 AB
4.2	06-08	F	V	S3-2753		365.0	34.0	46.5	5	semi-floating	8E0 615 301 AB
4.2 Rear axle		R	V	<a href="#">S3-2566</a>		324.0	22.0	40.0	5	semi-floating	8E0615601AB
<b>RS4 (B8)</b>											
4.2	12-18	F	V	<a href="#">S3-2788</a>		365.0	34.0	53.5	5	semi-floating	8T0615301
Rear axle		R	V	S2-2755		330.0	22.0	36.0	5	bolted	8K0615601C
<b>RS4 (B9)</b>											
2.9 Twin Turbo	18-	F	V	<a href="#">S3-3131</a>		375.0	36.0	57.0	5	semi-floating	4M0615301AM
<b>RS5 (8T)</b>											
4.2	10-	F	V	<a href="#">S3-2788</a>		365.0	34.0	53.5	5	semi-floating	8T0615301
4.2 Rear axle		R	V	<a href="#">S3-2789</a>		330.0	22.0	41.0	5	semi-floating	8T0615601A
<b>RS6 (C5)</b>											
4.2	02-04	F	V	<a href="#">S3-2587</a>		365.0	34.0	52.5	5	semi-floating	4B3615302
Rear axle		R	V	<a href="#">S3-2778</a>		335.0	24.0	48.5	5	semi-floating	4B3 615 602 A
<b>RS6 (C6)</b>											
5.0 V10 TFSi Biturbo	08-10	F	V	S3-2649		390.0	36.0	59.5	5	semi-floating	4F0615301L
Rear axle		R	V	<a href="#">S3-2704</a>		355.0	28.0	42.0	5	semi-floating	4F0615601H
<b>RS6 (C7)</b>											
4.0 V8 TFSi Biturbo	12-	F	V	<a href="#">S3-2818</a>		390.0	36.0	53.5	5	semi-floating	4G0615301E
		F	V	S4-2818		390.0	36.0	53.5	5	floating	4G0615301E
Rear axle		R	V	<a href="#">S3-3014</a>		356.0	22.0	41.0	5	semi-floating	4G0615601
<b>S4 (B9)</b>											
350mm discs	16-	F	V	<a href="#">S3-3386</a>	9250	349.0	34.0	57.4	5	semi-floating	4M0615301AB
<b>S4 (B9)</b>											
400mm discs	12->	F	V	<a href="#">S3-3088</a>		400.0	38.0	52.0	5	semi-floating	4H0615301M
<b>S6 (C7)</b>											
4.0 V8 TFSi Biturbo	12->	F	V	<a href="#">S3-3088</a>		400.0	38.0	52.0	5	semi-floating	4H0615301M
<b>S8 (4H)</b>											
4.0	12->	F	V	<a href="#">S3-3348</a>		380.0	36.0	52.4	5	semi-floating	4H0615301L
<b>TT - RS</b>											
2.5 Turbo	09->	F	V	S3-2434		370.0	32.0	49.5	5	semi-floating	8J0615301F
2.5 Turbo	09->	F	V	S4-2434		370.0	32.0	49.5	5	floating	8J0615301F
<b>BENTLEY</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Brooklands Coupe</b>											

6.8	08 ->	F	V	S1-3083		340.0	36.0	57.0	5	single piece	
<b>Continental GT</b>											
6.0	03 ->	F	V	S3-2173		400.0	36.0	59.5	5	semi-floating	
6.0	03 ->	R	V	S2-2174		335.0	22.0	42.0	5	bolted	
<b>Flying spur</b>											
6.0	03 ->	F	V	S3-3221		405.0	36.0	59.5	5	semi-floating	6W0615301K
6.0	03 ->	R	V	S2-2174		335.0	22.0	42.0	5	bolted	
<b>BMW</b>											
	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>X5 (E70)</b>											
M 4.3 V8 Twin Turbo	09-	F	V	S2-2594		394.0	36.0	61.8	5	bolted	
<b>2 Series (F87)</b>											
M2	15-	V	F	S3-2940		380.0	30.0	62.5	5	semi-floating	34112284810
		V	F	S4-2940		380.0	30.0	62.5	5	floating	34112284810
Rear axle		V	R	S3-2941		370.0	24.0	65.0	5	semi-floating	34212284812
<b>3 Series (E46)</b>											
M3 3.2	02-06	F	V	S3-2155	0555	325.0	28.0	53.0	5	semi-floating	
M3 3.2 Rear axle	00-06	R	V	S1-2152	0554	327.0	20.0	61.0	5	single piece	
M3 3.2	04-06	F	V	S3-2341	0512	345.0	28.0	52.5	5	semi-floating	
<b>3 Series (E90)</b>											
M3 4.0	07-13	F	V	S3-2403	5538	360.0	30.0	62.5	5	semi-floating	
Rear axle		R	V	S1-2902		350.0	24.0	66.5	5	single piece	
<b>3 Series (F3*)</b>											
M Performance	12-	F	V	S3-2805	5570	370.0	30.0	73.0	5	semi-floating	34106797606
<b>3 Series (F8*)</b>											
M3/M4	13-	V	F	S3-2940		380.0	30.0	62.5	5	semi-floating	34112284810
		V	F	S4-2940		380.0	30.0	62.5	5	floating	34112284810
Rear axle		V	R	S3-2941		370.0	24.0	65.0	5	semi-floating	34212284812
<b>3 Series (G2*)</b>											
Rear Performance package	19-	V	R	S3-3399	5551	345.0	24.0	66`	5	semi-floating	34206880079
<b>5 Series (E60/E61)</b>											
M5 5.0 V10	04 ->	F	V	S3-2404	0559	374.0	36.0	77.0	5	semi-floating	
<b>5 Series (F10)</b>											
M5	11 ->	F	V	S3-2644	5540	400.0	36.0	63.0	5	semi-floating	34112284101
<b>CHEVROLET</b>											
	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Camaro Mk6</b>											
6.2 V8	16-18	F	V	S3-3181		345.0	30.0	61.0	5	semi-floating	13528522
Rear axle		R	V	S1-3369		339.0	26.0	48.0	5	single piece	
<b>Corvette C5</b>											

5.7 V8	97-04	F	V	<a href="#">S1-2471</a>	2804	325.0	32.0	45.5	5	single piece	
Rear axle		R	V	<a href="#">S1-2472</a>	2803	305.0	26.0	48.5	5	single piece	
<b>Corvette C6</b>											
6.0 V8	04-	F	V	S2-2366		340.0	32.0	45.5	5	bolted	
Rear axle		R	V	<a href="#">S1-2376</a>		330.0	26.0	49.0	5	single piece	
7.0 V8	05-	F	V	<a href="#">S3-2589</a>		355.0	32.0	45.0	5	semi-floating	
Rear axle		R	V	<a href="#">S1-2590</a>		340.0	26.0	49.0	5	single piece	
<b>DODGE</b>											
	⌚	Axle Type		S1 Code	TAROX	D	T	H	lug	Notes	OE
<b>Challenger</b>											
SRT-8 5.7 V8	08-	F	V	<a href="#">S1-2506</a>		360.0	32.0	58.0	5	single piece	
Rear axle	08-	R	V	<a href="#">S1-2507</a>		350.0	28.0	68.0	5	single piece	
<b>Viper</b>											
GTS 7.9 V10	96-02	F	V	<a href="#">S1-2148</a>		330.0	32.0	60.5	6	single piece	
GTS rear axle	96-02	R	V	<a href="#">S1-2149</a>		330.0	22.0	44.0	6	single piece	
SRT 8.3 V10	03-06	F	V	<a href="#">S2-2498</a>		355.0	32.0	59.0	6	two piece	
SRT rear axle	03-06	R	V	<a href="#">S1-2499</a>		355.0	32.0	52.0	6	single piece	
<b>FERRARI</b>											
	⌚	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>456</b>											
5.5 V12 GTA	93-04	F	V	<a href="#">S1-2813</a>	3456	315.0	32.0	62.0	5	single piece	
5.5 V12 GTA		F	V	<a href="#">S1-2814</a>	3457	330.0	32.0	62.0	5	single piece	
Rear axle		R	V	<a href="#">S1-2815</a>	3458	310.0	28.0	81.5	5	single piece	
<b>458</b>											
4.5 V8 - Challenge	09-	F	V	S2-2624		398.0	38.0	-		uses oe hubs	
	09-	R	V	S2-2625		380.0	34.0	-		uses oe hubs	
<b>430</b>											
4.3 V8	04-09	F	V	S2-2509		380.0	32.0	58.0	5	semi-floating	
		R	V	S2-2509		380.0	32.0	58.0	5	semi-floating	
<b>550 Maranello</b>											
5.5 V12	96-01	F	V	S3-2095	3550	329.0	32.0	61.0	5	semi-floating	169765
Rear axle	96-01	R	V	<a href="#">S1-2096</a>	3551	310.0	28.0	80.5	5	single piece	
<b>Coupe</b>											
20V Turbo	95-01	F	V	S3-2632	0742	305.0	28.0	45.0	4	semi-floating	
<b>FORD</b>											
	⌚	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Mustang V</b>											
V6	05-14	F	V	<a href="#">S3-2848</a>		316.0	30.0	48.0	5	semi-floating	
V8	05-14	F	V	<a href="#">S2-2843</a>		336.0	30.0	48.0	5	semi-floating	
<b>Focus I</b>											
RS	98-05	F	V	<a href="#">S3-3313</a>	0876	324.0	26.0	52.7	4	semi-floating	1134864

		R	S	<a href="#">S1-2569</a>	0877	280.0	10.0	42.0	4	single piece	1135173
<b>Focus II</b>											
2.5 RS Turbo	09-12	F	V	<a href="#">S3-2364</a>	0878	336.0	28.0	52.0	5	semi-floating	
<b>Focus III</b>											
2.3 RS Turbo	15-	F	V	<a href="#">S3-2901</a>		350.0	25.0	49.0	5	semi-floating	1936713
<b>HYUNDAI</b>	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Elantra</b>											
2.0 N	22-	F	V	<a href="#">S3-3419</a>		360.0	30.0	52.5	5	semi-floating	51712S0100
<b>Veloster</b>											
2.0 N	17-	F	V	<a href="#">S3-3190</a>		345.0	30.0	52.5	5	semi-floating	51712S0100
<b>HONDA</b>	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Civic (Saloon/Hatchback) (01-05)</b>											
Type-R 2.0 16v Vtec (EP3)	01-05	F	V	S2-2119	2290	300.0	25.0	47.0	5	bolted	
<b>Civic (Saloon/Hatchback) (05-14)</b>											
Type-R 2.0 16v Vtec (FN2)	05-14	F	V	S2-2119	2290	300.0	25.0	47.0	5	bolted	
<b>Civic Hatchback (15-)</b>											
Type-R 2.0 Turbo (F2K)	15-	F	V	<a href="#">S3-2851</a>		350.0	32.0	55.0	5	semi-floating	45251TV8E02
<b>S2000</b>											
All models	99-11	F	V	S2-2535	2292	300.0	25.0	40.0	5+4	bolted	
<b>JAGUAR</b>	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>F-type</b>											
All models with Girling System	12-	F	V	<a href="#">S3-3262</a>	0438	380.0	36.0	48.0	5	semi-floating	C2P12622
<b>F-type</b>											
Performance package - front	12-	F	V	<a href="#">S3-3409</a>		400.0	36.0	63.0	5	semi-floating	C2P10564ES
Performance package - rear	12-	F	V	<a href="#">S3-3410</a>		350.0	28.0	48.0	5	semi-floating	C2P10563
<b>LAMBORGHINI</b>	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Gallardo</b>											
5.0 V10	03-	F	V	<a href="#">S3-2373</a>		365.0	34.0	52.5	5	semi-floating	
Rear axle	03-	R	V	<a href="#">S3-2374</a>		335.0	32.0	43.0	5	semi-floating	
5.2 V10 LP-4	08-	F	V	S2-2515		375.0	35.0			uses oe hubs	
LP-4 Rear axle	08-	R	V	S2-2517		355.0	32.0	44.0	5	bolted	
<b>Murcielago</b>											
6.2 V12	01-06	F	V	S2-2209	7006	355.0	32.0	82.0	5	bolted	
Rear axle	01-06	R	V	S2-2210	7007	335.0	32.0	79.0	5	bolted	
<b>LOTUS</b>	∞	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Elise S1</b>											
1.8	96-01	F	V	<a href="#">S1-2086</a>	8000	280.0	25.0	28.0	4	single piece	
1.8 Rear axle		R	V	<a href="#">S1-2086</a>	8003	280.0	25.0	28.0	4	single piece	

<b>Elise S2/Exige</b>											
1.8	01->	F	V	<a href="#">S3-2085</a>	8001	287.0	25.0	44.0	4	semi-floating	
1.8 Rear axle		R	V	<a href="#">S3-2085</a>	8005	287.0	25.0	44.0	4	semi-floating	
<b>Elise S2/Exige</b>											
AP Brakes	05-	F	V	<a href="#">S3-2430</a>	8010	308.0	26.0	44.5	4	semi-floating	
<b>Evora</b>											
3.5 V6	09-	F	V	<a href="#">S3-2581</a>	8050	350.0	32.0	53.0	5	semi-floating	
3.5 V6 rear axle	09-	R	V	<a href="#">S2-2785</a>		330.0	26.0	63.5	5	bolted	
<b>Exige</b>											
3.5 V6	13-	F	V	<a href="#">S3-2784</a>		330.0	32.0	44.0	5	semi-floating	
3.5 V6 rear axle	13-	R	V	<a href="#">S2-2785</a>		330.0	26.0	63.5	5	bolted	
<b>MASERATI</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>Ghibli mk3</b>											
345mm discs	13-	F	V	<a href="#">S3-3205</a>	1116	345.0	28.0	45.2	5	semi-floating	670007683
<b>Gran Turismo</b>											
4.2 V8	07-12	F	V	<a href="#">S1-2396</a>		330.0	32.0	61.5	5	single piece	387200321
4.7 V8	07-12	F	V	<a href="#">S3-3046</a>	1120	360.0	32.0	61.5	5	semi-floating	235318
4.7 V8	07-12	F	V	<a href="#">S1-2713</a>	1120	360.0	32.0	61.5	5	single piece	235318
Rear axle	07-12	R	V	<a href="#">S1-2397</a>	1121	330.0	28.0	59.5	5	single piece	228411
<b>Quattroporte</b>											
All models with Sport package option	03-	F	V	<a href="#">S1-2857</a>		330.0	32.0	61.5	5	single piece	202016
Rear axle -315mm -	03-	R	V	<a href="#">S1-3308</a>		315.0	24.0	67.0	5	single piece	194983
Rear axle -330mm -	03-	R	V	<a href="#">S1-2885</a>		330.0	28.0	78.0	5	single piece	202017
<b>3200 GT</b>											
3.2 V8 Biturbo	98-01	F	V	<a href="#">S3-2095</a>	3550	329.0	32.0	61.0	5	semi-floating	387210321.
Rear axle	98-01	R	V	<a href="#">S1-2096</a>	3551	310.0	28.0	80.5	5	single piece	
<b>MERCEDES</b>											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
<b>A-Class (W176)</b>											
A45 AMG 4-matic	13	F	V	<a href="#">S3-2767</a>		350.0	32.0	51.0	5	semi-floating	1764210212
Rear axle		R	V	<a href="#">S1-3126</a>		330.0	22.0	41.5	5	one piece	1724230112
<b>C-Classe (W204)</b>											
C63 AMG	08-14	F	V	<a href="#">S3-2714</a>	1273	360.0	36.0	64.5	5	semi-floating	2194210212
Rear axle		R	V	<a href="#">S3-2989</a>		330.0	26.0	57.3	5	semi-floating	2044230412
<b>CLK-Klasse (C209)</b>											
C63 AMG	07-09	F	V	<a href="#">S3-2714</a>	1273	360.0	36.0	64.5	5	semi-floating	2194210212
Rear axle		R	V	<a href="#">S1-2889</a>		330.0	26.0	56.2	5	single piece	1714230112
<b>CLS-Klasse (C218)</b>											
C63 AMG	11	F	V	<a href="#">S3-2714</a>	1273	360.0	36.0	64.5	5	semi-floating	2194210212



<b>NOBLE</b>	⌘	Axle Type		S2 Code	TAROX	D	T	H	lug	Notes	OE
<b>M400</b>											
3.0 V6 Twin Turbo	04-07	F	V	S2-2302		330.0	30.0	47.0	5	bolted	
<b>PORSCHE</b>	⌘	Axle Type		S2 Code	TAROX	D	T	H	lug	Notes	OE
<b>911 (991)</b>											
Carrera S	12-14	F	V	S3-2771		340.0	34.0	69.5	5	semi-floating	991 351 403 01
<b>911 (993)</b>											
3.6	93-98	F	V	S2-2325	9194	304.0	32.0	72.0	5	bolted	99335104401
3.6 Turbo	95-98	F	V	S2-2580	9196	322.0	32.0	72.0	5	bolted	99335104610
<b>911 (996)</b>											
3.4 Carrera	97-03	F	V	S2-2964	9120	318.0	28.0	67.0	5	bolted	996 351 405 01
3.4 Carrera - rear axle		R	V	S1-2526	9121	299.0	24.0	75.0	5	single piece	99635240103
<b>911 (997)</b>											
3.6 GT3	07-09	F	V	S3-2419	9390	350.0	34.0	67.5	5	semi-floating	9963514099H
3.8 Carrera S rear axle		R	V	S1-2420	9391	330.0	28.0	75.0	5	single piece	99635240500
<b>968</b>											
3.0 Club Sport	93-95	F	V	S2-2339		322.0	32.0	77.0	5	bolted	965 531 04500
<b>Cayenne</b>											
4.5 V8 Twin Turbo (500)	04-09	F	V	S3-2512	9280	380.0	38.0	68.5	5	semi-floating	95535140161
All models fitted with Ceramic axles	08-	F	V	S2-2731		410.0	38.0			uses oe hub	
<b>Cayenne (958)</b>											
3.6 PR 1LH/1ZL	11-15	F	V	S3-2979		390.0	38.0	68.7	5	semi-floating	95835140350
<b>Panamera</b>											
4.8 Turbo	10-	F	V	S3-2592	9312	390.0	38.0	68.7	5	semi-floating	298615301C
<b>RENAULT</b>	⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE	
<b>Alpine (A310)</b>											
2.7 V6		F	V	S1-2602	1540	228.0	20.0	44.0	6	single piece	
<b>Clio 2 (98-08)</b>											
3.0 V6 (AP)	01-05	F	V	S3-2167		330.0	30.0	42.0		semi-floating	
3.0 V6 rear axle (AP)	01-05	R	V	S1-2168		302.0	24.0	37.0		single piece	
<b>SEAT</b>	⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE	
<b>Ibiza 6K</b>											
1.8 Turbo 20 V Cupra	00-02	F	V	S2-2696	0204	305.0	28.0	46.5	4	bolted	6K615301
<b>Leon (1M)</b>											
1.8 Turbo Cupra R	01-05	F	V	S3-2212	0214	323.0	28.0	34.2	5	semi-floating	
<b>SUBARU</b>	⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE	
<b>Impreza</b>											
WRX 2.0 4WD	99-	F	V	S3-3392	2703	294.0	24.0	57.0	5	semi-floating	



WRX STi 2.0 4WD	04-	F	V	S3-2118	2704	326.0	30.0	52.8	5	semi-floating	
WRX STi 2.0 4WD Rear axle	09-	R	V	S1-2474	2728	316.0	22.0	63.0	5	single piece	
WRX STi 2.0 4WD MY 2018	18-	F	V	S3-3107		340.0	30.0	53.0	5	semi-floating	
<b>TESLA</b>	∞	Axle Type			<b>TAROX</b>	<b>D</b>	<b>T</b>	<b>H</b>	<b>lug</b>	<b>Notes</b>	<b>OE</b>
<b>Model 3</b>											
Rear axle (335mm)	18-	R	V	S3-3394		335.0	20.0	46.8	5	semi-floating	
<b>Model S</b>											
All models	13-	F	V	S1-2758		355.0	32.0	71.0	5	single piece	
All models rear axle	13-	R	V	S1-2759		365.0	28.0	66.5	5	single piece	
<b>Roadster</b>											
All models	08-	F	V	S1-2909		300.0	25.0	44.0	5	single piece	2002177
All models rear axle	08-	R	V	S1-2910		310.0	25.0	44.0	5	single piece	2002672
<b>TOYOTA</b>	∞	Axle Type			<b>TAROX</b>	<b>D</b>	<b>T</b>	<b>H</b>	<b>lug</b>	<b>Notes</b>	<b>OE</b>
<b>Celica ST 205</b>											
2.0 Turbo 4WD	94-99	F	V	S3-2496	3719	315.0	32.0	58.0	5	semi-floating	
<b>Yaris Mk 4</b>											
GR 1.6 4WD	20-	F	V	S3-3391		355.0	28.0	49.2	5	semi-floating	
GR rear axle		R	V	S1-3402		297.0	18.0	53.0	5	single piece	426252010
<b>TVR</b>	∞	Axle Type			<b>TAROX</b>	<b>D</b>	<b>T</b>	<b>H</b>	<b>lug</b>	<b>Notes</b>	<b>OE</b>
<b>Cerbera</b>											
All models	96-03	F	V	S2-2004		323.0	30.0	63.5	5	bolted	
<b>VOLKSWAGEN</b>	∞	Axle Type			<b>TAROX</b>	<b>D</b>	<b>T</b>	<b>H</b>	<b>lug</b>	<b>Notes</b>	<b>OE</b>
<b>Golf Mk4 (1J)</b>											
GTI	98-05	F	V	S3-2117	0226	312.0	25.0	34.5	5	semi-floating	
R32 3.2 V6 4motion	02 -05	F	V	S1-2180	0233	334.0	32.0	35.0	5	single piece	
<b>Golf Mk5</b>											
GTI	05-10	F	V	S3-2803	0292	312.0	25.0	49.5	5	semi-floating	1K0615301AA
R32	05-10	F	V	S3-2449	0285	345.0	30.0	45.5	5	semi-floating	
Rear axle	03-10	R	V	S3-2408	0275	310.0	22.0	49.6	5	semi-floating	
<b>Golf Mk7</b>											
Performance package	14-	F	V	S3-3020	9218	340.0	30`	47.6	5	semi-floating	8S0615301
<b>Golf Mk8</b>											
Performance package	19-	F	V	S3-3356	9284	356.0	34.0	49.7	5	semi-floating	5WA615301A
<b>Passat 3B6</b>											
4.0 W8 4motion	01-05	F	V	S3-2641	9246	334.0	32.0	59.5	5	semi-floating	3B7615301A
<b>Phaeton</b>											
5.0 V10	05-10	F	V	S3-2534	9248	365.0	34.0	59.5	5	semi-floating	3D0 615 301N