

ALFA ROMEO		⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE
4c											
1750 Turbo	13-	F	V	S3-2757	0144	305.0	28.0	39.7	5	semi-floating	51965608
		R	V	S3-2996	0145	292.0	22.0	42.7	5	semi-floating	51930883
Giulia (952)											
2.0 Veloce 280hp	16-	F	V	S3-3231	0164	330.0	28.0	44.7	5	semi-floating	50532932
2.0 Veoce rear axle		R	V	S3-3238	0165	320.0	20.0	43.2	5	semi-floating	50546509
2.9 Quadrifoglio	15-	F	V	S3-3138		360.0	32.0	41.0	5	semi-floating	50543093
2.9 rear axle		R	V	S3-3139		350.0	28.0	43.0	5	semi-floating	50543506
ALPINA		⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE
B10											
V8S	02-04	F	V	S3-2681		360.0	32.0	81.0	5	semi-floating	
ASTON MARTIN		⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE
DB7											
3.2 V6	94-03	F	V	S3-2231		355.0	32.0	49.0	5	semi-floating	
Rear axle		R	V	S1-2232		330.0	28.0	66.0	5	single piece	
Vantage											
4.7 S	11-	F	V	S4-3039		380.0	34.0	50.5	5	floating	BG331125AA
Rear axle		R	V	S3-3045		330.0	28.0	46.5	5	semi-floating	4GA32810266
AUDI		⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE
Q3 (8U)											
RS 2.5 Turbo	13-18	F	V	S3-3194		365.0	34.0	50.0	5	semi-floating	8U0615301A
Q7											
6.0 Ceramic axles	08-15	F	V	S2-2636		420.0	40.0			uses oe hubs	
6.0 V12 Ceramic axles		R	V	S2-2637		380.0	30.0			uses oe hubs	
Q8 (4MN)											
SQ8	15-	F	V	S3-3182		400.0	38.0	57.0	5	semi-floating	4M0615301AE
R8											
5.0 V10	06-	F	V	S3-2373		365.0	34.0	52.5	5	semi-floating	420615301A
Rear axle		R	V	S3-2937		356.0	32.0	42.0	5	semi-floating	420615601E
RS3 (8P)											
2.5 Turbo	10-14	F	V	S3-2562		370.0	32.0	60.0	5	semi-floating	8P0615301
2.5 Turbo	10-14	F	V	S4-2562		370.0	32.0	60.0	5	floating	8P0615301
RS3 (8V) Hatchback											
2.5 Turbo	14-	F	V	S3-2908		370.0	34.0	60.0	5	semi-floating	8V0615301C
2.5 Turbo	14-	F	V	S4-2908		370.0	34.0	60.0	5	floating	8V0615301C
RS3 (8V) Sedan											
2.5 Turbo	17-	F	V	S3-3114		370.0	34.0	53.0	5	semi-floating	8V0615301R

RS4 (B5)											
2.7 V6 Twin Turbo	99-01	F	V	S3-2063		360.0	32.0	46.5	5	semi-floating	8D0615301N
2.7 V6 Twin Turbo Rear axle		R	V	S2-2064		312.0	22.0	45.0	5	bolted	8D0615602A
RS4 (B7)											
4.2	06-08	F	V	S2-2337		365.0	34.0	n/a	n/a	uses oe hubs	8E0 615 301 AB
4.2	06-08	F	V	S3-2753		365.0	34.0	46.5	5	semi-floating	8E0 615 301 AB
4.2 Rear axle		R	V	S3-2566		324.0	22.0	40.0	5	semi-floating	8E0615601AB
RS4 (B8)											
4.2	12-18	F	V	S3-2788		365.0	34.0	53.5	5	semi-floating	8T0615301
Rear axle		R	V	S2-2755		330.0	22.0	36.0	5	bolted	8K0615601C
RS4 (B9)											
2.9 Twin Turbo	18-	F	V	S3-3131		375.0	36.0	57.0	5	semi-floating	4M0615301AM
RS5 (8T)											
4.2	10-	F	V	S3-2788		365.0	34.0	53.5	5	semi-floating	8T0615301
4.2 Rear axle		R	V	S3-2789		330.0	22.0	41.0	5	semi-floating	8T0615601A
RS6 (C5)											
4.2	02-04	F	V	S3-2587		365.0	34.0	52.5	5	semi-floating	4B3615302
Rear axle		R	V	S3-2778		335.0	24.0	48.5	5	semi-floating	4B3 615 602 A
RS6 (C6)											
5.0 V10 TFSi Biturbo	08-10	F	V	S3-2649		390.0	36.0	59.5	5	semi-floating	4F0615301L
Rear axle		R	V	S3-2704		355.0	28.0	42.0	5	semi-floating	4F0615601H
RS6 (C7)											
4.0 V8 TFSi Biturbo	12-	F	V	S3-2818		390.0	36.0	53.5	5	semi-floating	4G0615301E
		F	V	S4-2818		390.0	36.0	53.5	5	floating	4G0615301E
Rear axle		R	V	S3-3014		356.0	22.0	41.0	5	semi-floating	4G0615601
S4 (B9)											
350mm discs	16-	F	V	S3-3386	9250	349.0	34.0	57.4	5	semi-floating	4M0615301AB
S4 (B9)											
400mm discs	12->	F	V	S3-3088		400.0	38.0	52.0	5	semi-floating	4H0615301M
S6 (C7)											
4.0 V8 TFSi Biturbo	12->	F	V	S3-3088		400.0	38.0	52.0	5	semi-floating	4H0615301M
S8 (4H)											
4.0	12->	F	V	S3-3348		380.0	36.0	52.4	5	semi-floating	4H0615301L
TT - RS											
2.5 Turbo	09->	F	V	S3-2434		370.0	32.0	49.5	5	semi-floating	8J0615301F
2.5 Turbo	09->	F	V	S4-2434		370.0	32.0	49.5	5	floating	8J0615301F
BENTLEY											
	⌘	Axle Type		TAROX	D	T	H	lug	Notes	OE	
Continental GT											
6.0	03 ->	F	V	S3-2173		400.0	36.0	59.5	5	semi-floating	

6.0	03 ->	R	V	S2-2174		335.0	22.0	42.0	5	bolted	
Flying spur											
6.0	03 ->	F	V	S3-3221		405.0	36.0	59.5	5	semi-floating	6W0615301K
6.0	03 ->	R	V	S2-2174		335.0	22.0	42.0	5	bolted	
BMW											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
X5 (E70)											
M 4.3 V8 Twin Turbo	09-	F	V	S2-2594		394.0	36.0	61.8	5	bolted	
2 Series (F87)											
M2	15-	V	F	S3-2940		380.0	30.0	62.5	5	semi-floating	34112284810
		V	F	S4-2940		380.0	30.0	62.5	5	floating	34112284810
Rear axle		V	R	S3-2941		370.0	24.0	65.0	5	semi-floating	34212284812
3 Series (E46)											
M3 3.2	02-06	F	V	S3-2155	0555	325.0	28.0	53.0	5	semi-floating	
M3 3.2 Rear axle	00-06	R	V	S1-2152	0554	327.0	20.0	61.0	5	single piece	
M3 3.2	04-06	F	V	S3-2341	0512	345.0	28.0	52.5	5	semi-floating	
3 Series (E90)											
M3 4.0	07-13	F	V	S3-2403	5538	360.0	30.0	62.5	5	semi-floating	
Rear axle		R	V	S1-2902		350.0	24.0	66.5	5	single piece	
3 Series (F3*)											
M Performance	12-	F	V	S3-2805	5570	370.0	30.0	73.0	5	semi-floating	34106797606
3 Series (F8*)											
M3/M4	13-	V	F	S3-2940		380.0	30.0	62.5	5	semi-floating	34112284810
		V	F	S4-2940		380.0	30.0	62.5	5	floating	34112284810
Rear axle		V	R	S3-2941		370.0	24.0	65.0	5	semi-floating	34212284812
3 Series (G2*/G8*)											
M3/M4	21-	V	F	S3-3479		380.0	36.0	62.0	5	semi-floating	34108093709
M3/M4 Rear axle	21-	V	R	S3-3480		370.0	24.0	37.2	5	semi-floating	34208093729
M5 5.0 V10	04 ->	F	V	S3-2404	0559	374.0	36.0	77.0	5	semi-floating	
5 Series (F10)											
M5	11 ->	F	V	S3-2644	5540	400.0	36.0	63.0	5	semi-floating	34112284101
7 Series (G11-G12)											
Models with 395mm discs	16-	F	V	S3-3446		395.0	36.0	66.0	5	semi-floating	34106887398
Models with 397mm rear discs	16-	R	V	S3-3447		397.0	36.0	28.0	5	semi-floating	34216871258
CHEVROLET											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Camaro Mk6											
6.2 V8	16-18	F	V	S3-3181		345.0	30.0	61.0	5	semi-floating	13528522
Rear axle		R	V	S1-3369		339.0	26.0	48.0	5	single piece	
Corvette C5											

5.7 V8	97-04	F	V	S1-2471	2804	325.0	32.0	45.5	5	single piece	
Rear axle		R	V	S1-2472	2803	305.0	26.0	48.5	5	single piece	
Corvette C6											
6.0 V8	04-	F	V	S2-2366		340.0	32.0	45.5	5	bolted	
Rear axle		R	V	S1-2376		330.0	26.0	49.0	5	single piece	
7.0 V8	05-	F	V	S3-2589		355.0	32.0	45.0	5	semi-floating	
Rear axle		R	V	S1-2590		340.0	26.0	49.0	5	single piece	
DODGE											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Challenger											
SRT-8 5.7 V8	08-	F	V	S1-2506		360.0	32.0	58.0	5	single piece	
Rear axle	08-	R	V	S1-2507		350.0	28.0	68.0	5	single piece	
Viper											
GTS 7.9 V10	96-02	F	V	S1-2148		330.0	32.0	60.5	6	single piece	
GTS rear axle	96-02	R	V	S1-2149		330.0	22.0	44.0	6	single piece	
SRT 8.3 V10	03-06	F	V	S2-2498		355.0	32.0	59.0	6	two piece	
SRT rear axle	03-06	R	V	S1-2499		355.0	32.0	52.0	6	single piece	
FERRARI											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
456											
5.5 V12 GTA	93-04	F	V	S1-2813	3456	315.0	32.0	62.0	5	single piece	
5.5 V12 GTA		F	V	S1-2814	3457	330.0	32.0	62.0	5	single piece	
Rear axle		R	V	S1-2815	3458	310.0	28.0	81.5	5	single piece	
458											
4.5 V8 - Challenge	09-	F	V	S2-2624		398.0	38.0	-		uses oe hubs	
	09-	R	V	S2-2625		380.0	34.0	-		uses oe hubs	
430											
4.3 V8	04-09	F	V	S2-2509		380.0	32.0	58.0	5	semi-floating	
		R	V	S2-2509		380.0	32.0	58.0	5	semi-floating	
550 Maranello											
5.5 V12	96-01	F	V	S3-2095	3550	329.0	32.0	61.0	5	semi-floating	169765
Rear axle	96-01	R	V	S1-2096	3551	310.0	28.0	80.5	5	single piece	
Coupe											
20V Turbo	95-01	F	V	S3-2632	0742	305.0	28.0	45.0	4	semi-floating	
FORD											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Mustang V											
V6	05-14	F	V	S3-2848		316.0	30.0	48.0	5	semi-floating	
V8	05-14	F	V	S2-2843		336.0	30.0	48.0	5	semi-floating	
Focus I											
RS	98-05	F	V	S3-3313	0876	324.0	26.0	52.7	4	semi-floating	1134864

		R	S	S1-2569	0877	280.0	10.0	42.0	4	single piece	1135173
Focus II											
2.5 RS Turbo	09-12	F	V	S3-2364	0878	336.0	28.0	52.0	5	semi-floating	
Focus III											
2.3 RS Turbo	15-	F	V	S3-2901		350.0	25.0	49.0	5	semi-floating	1936713
HYUNDAI											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Elantra											
2.0 N	22-	F	V	S3-3419		360.0	30.0	52.5	5	semi-floating	51712S0200
Veloster											
2.0 N	17-	F	V	S3-3190		345.0	30.0	52.5	5	semi-floating	51712S0100
HONDA											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Civic (Saloon/Hatchback) (01-05)											
Type-R 2.0 16v Vtec (EP3)	01-05	F	V	S2-2119	2290	300.0	25.0	47.0	5	bolted	
Civic (Saloon/Hatchback) (05-14)											
Type-R 2.0 16v Vtec (FN2)	05-14	F	V	S2-2119	2290	300.0	25.0	47.0	5	bolted	
Civic Hatchback (15-)											
Type-R 2.0 Turbo (F2K)	15-	F	V	S3-2851		350.0	32.0	55.0	5	semi-floating	45251TV8E02
S2000											
All models	99-11	F	V	S2-2535	2292	300.0	25.0	40.0	5+4	bolted	
JAGUAR											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
F-type											
All models with Girling System	12-	F	V	S3-3262	0438	380.0	36.0	48.0	5	semi-floating	C2P12622
F-type											
Performance package - front	12-	F	V	S3-3409		400.0	36.0	63.0	5	semi-floating	C2P10564ES
Performance package - rear	12-	F	V	S3-3410		350.0	28.0	48.0	5	semi-floating	C2P10563
KTM											
	⌘	Axle Type		S2 Code	TAROX	D	T	H	stud	Notes	OE
X-Bow											
2.0 Turbo	08-	F	V	S2-2619		305.0	22.0	28.0	5	two piece	
Rear axle	08-	R	V	S2-2619		305.0	22.0	28.0	5	two piece	
LAMBORGHINI											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Gallardo											
5.0 V10	03-	F	V	S3-2373		365.0	34.0	52.5	5	semi-floating	
Rear axle	03-	R	V	S3-2374		335.0	32.0	43.0	5	semi-floating	
5.2 V10 LP-4	08-	F	V	S2-2515		375.0	35.0			uses oe hubs	
LP-4 Rear axle	08-	R	V	S2-2517		355.0	32.0	44.0	5	bolted	
Murcielago											
6.2 V12	01-06	F	V	S2-2209	7006	355.0	32.0	82.0	5	bolted	
Rear axle	01-06	R	V	S2-2210	7007	335.0	32.0	79.0	5	bolted	

C63 AMG	07-09	F	V	S3-2714	1273	360.0	36.0	64.5	5	semi-floating	2194210212
Rear axle		R	V	S1-2889		330.0	26.0	56.2	5	single piece	1714230112
CLS-Class (C218)											
C63 AMG	11	F	V	S3-2714	1273	360.0	36.0	64.5	5	semi-floating	2194210212
Rear axle		R	V	S3-3171		360.0	26.0	38.5	5	semi-floating	2124230412
ML (W166)											
63 AMG	11	F	V	S3-3132		390.0	36.0	55.6	5	semi-floating	1664210512
		R	V	S1-3133		360.0	26.0	63.0	5	single piece	1644230812
SL-Class (R230)											
SL55 AMG 5.5 V8 Kompressor	05-08	F	V	S3-2248		390.0	36.0	64.5	5	semi-floating	2304211212
Rear axle	05-08	R	V	S1-2417		330.0	26.0	68.0	5	single piece	
SL-Class (R231)											
63 AMG - ceramic brakes replacement	11-20	F	V	S3-3397		402.0	39.0	61.0	5		A2314211512
Rear axle - ceramic brakes replacement		R	V	S3-3398		360.0	32.0	58.5	5		A2314230712
SLK-Class (R171)											
55 AMG	05-10	F	V	S2-2810		340.0	32.0			uses OE hubs	A 1714210112
55 AMG	05-10	F	V	S3-2811		340.0	32.0	50.0	5	semi-floating	A 1714210112
SLS (C197)											
6.2	10-	F	V	S3-2248		390.0	36.0	64.5	5	semi-floating	2304211212
Rear axle - single piece version -		R	V	S1-2766		360.0	26.0	58.5	5	single piece	1974230112
Rear axle- two piece version -		R	V	S3-2801		360.0	26.0	58.5	5	semi-floating	1974230112
MINI											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Cooper (R56)											
S Works 1.6 Turbo	07	F	V	S3-2426	5514	316.0	22.0	45.0	4	semi-floating	
S Works GP2	11	F	V	S3-2764		330.0	26.0	45.5	4	semi-floating	
Cooper (F56)											
JCW 2.0	14	F	V	S2-2978	5518	335.0	30.0	45.0	5	bolted	34116865711
JCW 2.0 GP3	19-	F	V	S3-3314	5564	360.0	30.0	45.0	5	semi-floating	34106884001
MITSUBISHI											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Lancer											
Evo V-VIII	99-09	F	V	S3-3312	2603	320.0	32.0	43.0	5	semi-floating	
Evo X	09 ->	F	V	S3-2439	2690	350.0	32.0	44.0	5	semi-floating	4615A184
Evo X Rear axle	09 ->	R	V	S1-2467	2695	330.0	22.0	58.5	5	single piece	4615A023
NISSAN											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
GT-R 35											
3.8 Twin Turbo	08-11	F	V	S2-2699		380.0	34.0			uses OE hubs	
3.8 Twin Turbo	08-11	F	V	S3-2763		380.0	34.0	47.7	5	semi-floating	
3.8 Twin Turbo	11->	F	V	S3-2722		390.0	34.0	47.7	5	semi-floating	40206-KB50A

Rear axle	08->	R	V	S2-2668		380.0	30.0	62.0	5	uses OE hubs	43206-JF20A	
Rear axle	08->	R	V	S3-2816		380.0	30.0	62.0	5	semi-floating	43206-JF20A	
Skyline												
GT-R 2.6 Twin Turbo 24v (R34)	98-02	F	V	S3-2169	2103	324.0	30.0	59.0	5	semi-floating		
NOBLE												
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE	
M400												
3.0 V6 Twin Turbo	04-07	F	V	S2-2302		330.0	30.0	47.0	5	bolted		
PORSCHE												
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE	
911 (991)												
Carrera S	12-14	F	V	S3-2771		340.0	34.0	69.5	5	semi-floating	991 351 403 01	
911 (993)												
3.6	93-98	F	V	S2-2325	9194	304.0	32.0	72.0	5	bolted	99335104401	
3.6 Turbo	95-98	F	V	S2-2580	9196	322.0	32.0	72.0	5	bolted	99335104610	
911 (996)												
3.4 Carrera	97-03	F	V	S2-2964	9120	318.0	28.0	67.0	5	bolted	996 351 405 01	
3.4 Carrera - rear axle		R	V	S1-2526	9121	299.0	24.0	75.0	5	single piece	99635240103	
911 (997)												
3.6 GT3	07-09	F	V	S3-2419	9390	350.0	34.0	67.5	5	semi-floating	9963514099H	
3.8 Carrera S rear axle		R	V	S1-2420	9391	330.0	28.0	75.0	5	single piece	99635240500	
968												
3.0 Club Sport	93-95	F	V	S2-2339		322.0	32.0	77.0	5	bolted	965 531 04500	
Cayenne												
4.5 V8 Twin Turbo (500)	04-09	F	V	S3-2512	9280	380.0	38.0	68.5	5	semi-floating	95535140161	
All models fitted with Ceramic axles	08-	F	V	S2-2731		410.0	38.0			uses oe hub		
Cayenne (958)												
3.6 PR 1LH/1ZL	11-15	F	V	S3-2979		390.0	38.0	68.7	5	semi-floating	95835140350	
Panamera												
4.8 Turbo	10-	F	V	S3-2592	9312	390.0	38.0	68.7	5	semi-floating	298615301C	
RENAULT												
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE	
Alpine (A310)												
2.7 V6		F	V	S1-2602	1540	228.0	20.0	44.0	6	single piece		
Clio 2 (98-08)												
3.0 V6 (AP)	01-05	F	V	S3-2167		330.0	30.0	42.0		semi-floating		
3.0 V6 rear axle (AP)	01-05	R	V	S1-2168		302.0	24.0	37.0		single piece		
ROLLS ROYCE												
	⌘	Axle Type			Code	TAROX	D	T	H	stud	Notes	OE
Cullinan (RR31)												
Models with 395mm discs	18-	F	V	S3-3446	5558	395.0	36.0	66.1	5	semi-floating	34106887398	
		R	V	S3-3447		398.0	28.0	64.0	5	semi-floating	34216871258	

Phantom Mk 8 (RR11/RR12)											
Models with 395mm discs	17-	F	V	S3-3446	5558	395.0	36.0	66.1	5	semi-floating	34106887398
		R	V	S3-3447		398.0	28.0	64.0	5	semi-floating	34216871258
SEAT											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Ibiza 6K											
1.8 Turbo 20 V Cupra	00-02	F	V	S2-2696	0204	305.0	28.0	46.5	4	bolted	6K615301
Leon (1M)											
1.8 Turbo Cupra R	01-05	F	V	S3-2212	0214	323.0	28.0	34.2	5	semi-floating	
SUBARU											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Impreza											
WRX 2.0 4WD	99-	F	V	S3-3392	2703	294.0	24.0	57.0	5	semi-floating	
WRX STi 2.0 4WD	04-	F	V	S3-2118	2704	326.0	30.0	52.8	5	semi-floating	
WRX STi 2.0 4WD Rear axle	09-	R	V	S1-2474	2728	316.0	22.0	63.0	5	single piece	
WRX STi 2.0 4WD MY 2018	18-	F	V	S3-3107		340.0	30.0	53.0	5	semi-floating	
TESLA											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Model 3											
Rear axle (335mm)	18-	R	V	S3-3394		335.0	20.0	46.8	5	semi-floating	
Model S											
All models	13-	F	V	S1-2758		355.0	32.0	71.0	5	single piece	
All models rear axle	13-	R	V	S1-2759		365.0	28.0	66.5	5	single piece	
Roadster											
All models	08-	F	V	S1-2909		300.0	25.0	44.0	5	single piece	2002177
All models rear axle	08-	R	V	S1-2910		310.0	25.0	44.0	5	single piece	2002672
TOYOTA											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Celica ST 205											
2.0 Turbo 4WD	94-99	F	V	S3-2496	3719	315.0	32.0	58.0	5	semi-floating	
Yaris Mk 3											
GRMN 1.8 VVTi	15-19	F	V	S1-3287		315.0	32.0	58.0	5	single piece	43512-52140
Yaris Mk 4											
GR 1.6 4WD	20-	F	V	S3-3391		355.0	28.0	49.2	5	semi-floating	
GR rear axle		R	V	S1-3402		297.0	18.0	53.0	5	single piece	426252010
TVR											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Cerbera											
All models	96-03	F	V	S2-2004		323.0	30.0	63.5	5	bolted	
VOLKSWAGEN											
	⌘	Axle Type			TAROX	D	T	H	lug	Notes	OE
Golf Mk4 (1J)											
GTI	98-05	F	V	S3-2117	0226	312.0	25.0	34.5	5	semi-floating	

R32 3.2 V6 4motion	02 -05	F	V	S1-2180	0233	334.0	32.0	35.0	5	single piece	
Golf Mk5											
GTI	05-10	F	V	S3-2803	0292	312.0	25.0	49.5	5	semi-floating	1K0615301AA
R32	05-10	F	V	S3-2449	0285	345.0	30.0	45.5	5	semi-floating	
Rear axle	03-10	R	V	S3-2408	0275	310.0	22.0	49.6	5	semi-floating	
Golf Mk7											
Performance package	14-	F	V	S3-3020	9218	340.0	30`	47.6	5	semi-floating	8S0615301
Golf Mk8											
Performance package	19-	F	V	S3-3356	9284	356.0	34.0	49.7	5	semi-floating	5WA615301A
Passat 3B6											
4.0 W8 4motion	01-05	F	V	S3-2641	9246	334.0	32.0	59.5	5	semi-floating	3B7615301A
Phaeton											
5.0 V10	05-10	F	V	S3-2534	9248	365.0	34.0	59.5	5	semi-floating	3D0 615 301N